

INDEX TO VOLUME SEVEN.

- Abert's towhee, 324.
 Abies Canadensis, 10.
 Abronica villosa, 302.
 Acanthia lectularia, 16.
 Acanus scabiei, 17.
 Accessory stage, 53.
 Acer nigrum, 422.
 Acherontia atropos, 173.
 Aconitum Napellus, 8.
 Acorus calamus, 12.
 Actaea, 9.
 Actiturus Bartramius, 200.
 Aegialitis vociferus, 200.
 Agassiz Natural History Club, 573, 638.
 Agelaius phoeniceus, 200.
 Agrion, 498.
 Agrotis, 372.
 Ajuga reptans, 367.
 Alaska, ribbon seal of, 178.
 Aleutian cephalopods, 484.
 America, fauna of, 634.
 American Assoc. Adv. Sci., 445, 577, 639.
 birds, 602.
 moths, 227.
 raven, 16.
 Ammonopsis, 104.
 Ampelopsis quinquefolia, 4, 7.
 Amphipleura pellucida, 55, 316, 748.
 Ampullaria, 35.
 Anagallis, 309.
 Anaptomorphus æmulus, 51.
 Anchitheriids, 22.
 Ancon sheep, 732.
 Androstaphium breviflorum, 303.
 Anemone nemorosa, 422.
 Anemones, 9.
 Angelica Wheeleri, 301.
 Animalcules, 608.
 Animals, migration of, 633.
 monstrosities of, 336.
 domesticated, 641.
 Anomis xylinia, 214.
 Anoplotheres, 22.
 Anthus Spraguei, 697.
 Antiquity of man, 376.
 Antiquities of Southern Indians, 553.
 Ant-lion, 432.
 Ant, honey-making, 722.
 Ants, agricultural, 437.
 Apatorius, 117.
 Apes, education of, 494.
 Aphis-eating mite, 547.
 Aplectrum, flowering of, 627.
 Apple bark louse, 473.
 Aptenodytes, 40.
 Aquatic moth, 493.
 Archæaster vexillifer, 412.
 Archæology, 20.
 Archæopteryx, 364.
 Architeuthis, 87.
 Arctic finch, 14.
 Arcturus Ballini, 414.
 Arisema triphyllum, 11.
 Arizona, plants of, 290.
 Arkansas finches, 15.
 Articulates, 16.
 Artiodactyles, 24.
 Atropa, 12.
 Ascoceras, 108.
 Astragalus Ampullarius, 300.
 Asturina plagiata, 203.
 Avi-fauna of America, 634.
 Colorado, 631.
 Baird's bunting, 605.
 Balæida, 26, 27.
 Balenoiden, 20.
 Balanoptera Davidsoni, 124.
 Balanopterida, 26, 27.
 Balanus, 243.
 Bald eagle, variation in the tarsal envelope of, 429.
 Ball-t waif, 629.
 Balsam, mounting in, 442.
 Bane berries, 9.
 Basilosauriids, 25, 27.
 Bassaria astuta, 115.
 Bathybius Hæckelii, 408.
 Batrachians, 22.
 Battledoor scales, 187.
 Bean-weevil, grub of, 537.
 Bed-bug, 16.
 Bees, 230.
 perforation of Gerardia by, 689.
 and king-birds, 434.
 Beetles, 359.
 North American, 626.
 Bell's greenlet, 499.
 Bendire's mocking thrush, 329.
 Binoculars, 571.
 Bird, fossil, 50, 115.
 Birds, 22, 321, 361.
 American, 602.
 British, 163.
 color-variation in, 415, 548, 736.
 destruction of dragon-flies by, 433.
 European, 40.
 irregular migrations of, 389.
 new sub-class of, 364.
 of Florida, 165.
 the United States, 695.
 New England, 692.
 Bittersweet, 11.
 Black snowbird on Graylock Range, 634.
 Blackbirds, 200.
 Black-throated sparrow, 323.
 Blarina, 490.
 Blood corpuscles, 187, 382, 700.
 Blue jays, 200.
 Blue kite, 202.
 Bluebirds, 15.
 Boll-worm, 213.
 Bombycid moth, aquatic, 493.
 Bone-cave, 168.
 Bones, increase of, 174.
 Botany, 44.
 Bot-fly, 196.
 Brachys, 543.
 Brain, human, 684.
 Brewer's blackbirds, 15.
 Brickellia longifolia, 301.
 British fungi, 110.
 Brown thrush, 326.
 Buffalo, 113.
 Buffalo grass, 46.
 Buffalo Soc. of Nat. Sci., Bull. of, 560.

- Bufo Americanus*, note on, 660.
Buttercups, 8.
Butterflies, 108.
 controlling sex in, 129, 513.
 metamorphoses in, 437.
 ocelli in, 490.
Butterfly, 177.
Buttermilk, animalcules in, 248.
Buzzards, 202.

Cabbage caterpillar, parasite of, 241.
 web moth, 242.
Cæcidotea, 244.
Californian mocking thrush, 327.
 moths, distribution of, 453.
Calochortus aureus, 303.
 flexuosus, 303.
Calosoma, 360.
Calycera balsamifolia, 629, 730.
Cambarus, 80.
Canary bird, 312, 494.
Canis latrans, 385.
Cannabis sativa, 12.
Cañon towhee, 324.
Caprimulgineæ, 434.
Cardinal flower, 12.
Cardinalis, 618.
 Virginianus, 199.
Caribou, 741.
Carnivores, 19, 20.
Carrot, 9.
Cassin's Pyrrhula, 239.
Cat, instinct of, 491.
 purring of, 487.
Cat's jump, 435.
Cathartes aura, 202.
Catherpes Mexicanus, 603.
Cave crustaceans, 244.
Cedar bird, 15.
Celery, 10.
Cemistoma, 47.
Centronyx, 236.
 Bairdi, 695.
 ochrocephalus Aiken, 561.
Cephalopods, Aleutian, 484.
 fossil, 104.
Certhiola, 609.
Cetaceans, 19.
Cetotheriopsis, 28.
Cetotherium, 28.
Chaetadelpia Wheeleri, 301.
Chat, 198.
Chestnut borer, 243.
 weevil, 242.
Chizoe, 16.
Chimney swallow, 741.
Chondestes grammæa, 200.
Chrysomitris psaltria, 15.
Cicada, 201.
 and pupa, 540.
 pruinosa, 542.
 rimosa, 542.
Cienta, 9.
Cistothorus stellaris, 200.
Cleistogenous flowers, 553, 692.
Climatic changes, cause of, 124.
 influence of, on birds, 415.
Coleoptera, 432.
Collurio Ludovicianus, 115, 609.
Color-variation in birds, 415, 736.
Colorado, Avifauna of, 631.
 birds, 13.
 fossil mammals, 742.
 potato beetle, 430.
Cones, phyllotaxis of, 449.
Conium, 9.
Connecticut Valley, geology of, 745.
Conorhinus sanguisuga, 16.

Contopus borealis, 740.
Convolvulus longipes, 302.
Coptis trifolia, 9.
Coral, deep sea, 734.
Corvus carnivorus, 16.
 cryptoleucus, 16.
 Florida, 4.
Cotton caterpillar, 213.
Coturniculus Henslowi, 200.
 LeContei, 738.
Coyoté, 385.
Crawfish, 80.
Creosote plant, 333.
Crepis aurantiaca, 307.
Cretaceous flora of Greenland, 167.
 plants, 358.
Cross-fertilization of plants, 478.
Crow, 733.
Crowfoot, 8.
Crustacea, 489.
Curve-billed thrush, 328.
Cut worm, 372.
Cuttlefish, 87.
Cyanospiza cyanea, 201.
Cyanura cristata, 200.
Cymopterus purpureus, 300.
Cypripedium acaule, 422.

Dæne, 545.
Dalea amena, 300.
Darnel, 12.
Darwinian theory, 239.
Datura stramonium, 11.
Daucus carota, 9.
Death's-head moth, 173.
Deer, 431.
Delphinium, 9.
Deltocyathus Agassizii, 734.
Dendroica Dominica, 606.
 Gracia, 608.
 Pennsylvanica, 199.
 Vieillotii, 606.
Dentition, 455.
Depths of the sea, 406, 436.
Desmids, 192.
Diademata, 40.
Diatoms, 637, 701.
Dick sissel, 260.
Dimorphism in Forsythia, 422.
Dinocerata, 146, 217, 290, 305.
Dinosaurians, 22.
Dionæa, 727.
Dipnoans, 22.
Diptera, 238.
Dismal Swamp, flora of, 521.
Dog, sagacity of, 238.
Dogbanes, 12.
Dogwood, 4, 8.
Dove, 15.
Dragon-flies, 433.
Dredge, 407.
Drinking-cups, 100.
Drosera, 705, 727.
Drought, 234.
Drying case, 245.
Dryocampa rubicunda, 132.
Duckweed, 257.

Eared grebe, 735.
Echini, 224.
Eels, 492.
Eleodes, 359.
Elm borer, 243.
Embryology of Lepidoptera, 486.
Empidonax Acadicus, 42.
Endoceras, 108.
Entomology, North American, 227, 710.
 in Missouri, 471.

- Entomostraca, mounting, 120.
 Eobasilus, 49, 151, 157, 180, 217, 290, 306.
 Eoecus, 27.
 Epigaea repens, 310.
 Equisetum arvense, 422.
 Eriogonum Thompsonae, 302.
 Eristalis, 238.
 Erodium Texanum, 333.
 Erosion of valleys, 729.
 Eudytes, 39, 40.
 Euphorbia, 12.
 Euplectella, how to clean, 496.
 Eupodiscus, structure of, 571.
 European birds, 40.
 Eu-piza Americana, 200.
 Extinct mammals, 52.
 Eyes in crustacea, absence of, 489.
 Falco columbarius, 340.
 temerarius, 341.
 Fertilization of flowers, 680.
 grasses, 561.
 Field sparrow, 199.
 Fig-wort, 12.
 Fish Commission, 446.
 Fishes, 22, 71.
 food, 423.
 Flax, prehistoric, 374.
 Flea, 16.
 Flesh fly, 195.
 Flora of Dismal Swamp, 521.
 Tertiary, 358.
 Florida, birds of, 165.
 butterfly of, 177.
 Flowers, cleistogenous, 692.
 fertilization of, by insects, 680.
 monstrosities of, 335.
 variations in same, 729.
 Fly viviparous, 193.
 Flycatcher, 35, 170, 740.
 Flying squirrel, 132.
 Flytrap, 311.
 Force, conservation of, 332.
 Forsythia, dimorphism in, 422.
 Fossil bird, 50, 115.
 birds, 364.
 cephalopods, 104.
 quadrumana, 179.
 Four-legged lark, 311.
 Fragaria vesca, 336.
 Fraxinus coriacea, 302.
 Fru-tulia Saxonica, resolution into rows,
 443.
 Fungi, 310.
 British, 110.
 Garden weevil, 243.
 Garrya flavescens, 301.
 Gastrophilus equi, 196.
 Gaura, 334.
 Generation of eels, 492.
 Geococcyx Californianus, 324, 741.
 Geology of Montana, 352.
 Geothlypis Philadelphia, 199.
 Gerardia pedicularia, perforation of, by
 bees, 689, 730.
 Geysers, 352.
 of Montana, 279.
 Gibbs, George, notice of death of, 508.
 Gilia (navarretia) debilis, 302.
 Glacial fossils, 373.
 phenomena, 60, 61, 210.
 Glades of Maryland, 636.
 Goat-suckers, North American, 669.
 Goethe, 417.
 Gold-thread, 9.
 Golden-winged woodpecker, 498.
 Goldsmith beetle, 530.
 Goldsmith beetle, larva of, 531.
 Gonatus, 94.
 Goniattites, 104.
 Goniometer stage, 187.
 Grasses, fertilization of, 561.
 Graylock Range, black snow bird on, 634.
 Grebe, 735.
 Green Mountain gneisses, 658.
 Greenland, cretaceous flora of, 167.
 Greenlets, 198.
 Grosbeak, 196.
 Ground cuckoo, 324.
 robin, 199.
 Growing-cell, 608.
 Guadeloupe skeleton, 636.
 Hammer-stones, 139.
 Haplopappus cervinus, 301.
 Harlan's hawk, 172.
 Harporhynchus Bendirei, 330.
 cinereus, 327.
 crissalis, 328.
 redivivus, 327.
 rufus, 198, 326.
 Harvest mite, 17.
 Hawk, 340.
 Hearing, organ of, 183.
 Helicidae, 171.
 Hellebore, 11.
 Helminthophaga celata, 606.
 chrysoptera, 199.
 Hemileuca Maia, 475.
 Hemlock, 9.
 Hemp, 12.
 Hendersonia theaeicola, 379.
 Hepaticae, 46.
 Hen-low's bunting, 200.
 Herbarium, 46.
 paper, 691.
 Hesperornis regalis, 49.
 Hibiscus, 157.
 Hickory Scolytus, 474.
 Hipparion, 22.
 Holtenia Carpenteri, 409.
 Homologies, intermembral, 223.
 Horned toad, 634.
 Horse, 22.
 disease, 120, 167.
 radish, 9.
 House finches, 15.
 Human botfly, 16.
 brain, 684.
 Hyacinthus, 312.
 Hyalonema, 565.
 Hydrochelidon flissipes, 200.
 Hyla Pickeringii, 239.
 Hymenoptera, 500.
 Hyperchiria Io, 476.
 Icteria virens, 198.
 Icterus Baltimore, 198.
 Ichthyornis, 364.
 dispar, 50, 116.
 Ichthyornithes, 364.
 Ictinia Mississippensis, 202.
 Illinois, birds of, 197.
 Implements, Indian, 139.
 Indian bird, 201.
 carving, 438.
 cloth, 745.
 implements, 204, 270.
 netsinkers, 375.
 and hammerstones, 139.
 poke, 11.
 relics, 205.
 remains, 31.
 rope, 745.
 tobacco, 12.

- Infusoria, 187, 685, 702.
 Inids, 26, 27.
 Insects, relations of, to plants, 268.
 circulation of, 186.
 feet of, 186.
 fertilization of flowers by, 680.
 injurious, 241, 710.
 and Beneficial, 524.
 sections of, 119.
 Insects' eyes, 570.
 Instinct, 494.
 Io moth, 477.
 Iowa, birds of, 363.
 Isthmia, 571.
 Itch mite, 17.

 Jack-in-the-pulpit, 11.
 Jiggers, 17.
 Junco annectens, 15.
 hyemalis, 609.
 Schater, 609.

 Kalmia latifolia, 12.
 Kettles, 101.
 Kildeer, 200.
 Kingbird, 434.
 King crab, 492.
 Kingfisher, 634.
 Kypobalena, 28.

 Lady bird, 546.
 Languria, 545.
 Laphamia megaloccephala, 301.
 Lark, 311.
 Larkspur, 9.
 Larrea Mexicana, 333.
 LeConte's bunting, 738.
 Lemna polyrrhiza, 257.
 Lemurs, genus applied to, 51.
 Lepidoptera, embryology of, 485.
 Lepismania saccharina, 696.
 Leptocardiids, 22.
 Leptus Americanus, 17.
 autumnalis, 17.
 irritans, 18.
 Lichens, 55, 562.
 Life, infusorial, 685.
 Limoria, 256.
 Limothrips tritici, 241.
 Limulus, 675.
 Lincoln's finch, 15.
 Lithospermum longiflorum, 691.
 Lobelia cardinalis, 12.
 inflata, 12.
 Lolium temulentum, 12.
 Lophophanes bicolor, 200.
 Lophohelia prolifera, 410.
 Louse, 16.
 Loxolophodon, 147, 217, 291, 307, 315.
 Lycena modesta, 178.
 Lycopersicum esculentum, 11.

 Macrobiotus Americanus, 731.
 Macrocentrus delicatus, 472.
 Magpie, 14.
 Maia moth, 475.
 Maine, glacial fossils in, 373.
 Malformations, 632.
 Mallard ducks, 16.
 Mammals, 22.
 fossil, 146, 742.
 Mammoth Cave, for sale, 447.
 Man, Antiquity of, 376.
 in the Miocene, 315.
 Map, geological, 345.
 Marsipobranchiids, 22.
 Marsupials, 22.
 Maryland, glades of, 636.

 Maximillian's jays, 15.
 May beetles, 530.
 Meadow lark, 175, 200.
 Medeola, 629.
 Melanerpes erythrocephalus, 200.
 Metamorphoses in butterflies, 437.
 Metonius, 544.
 Mexican cormorant, 172.
 honey ant, 722.
 Micrometers, 378.
 Micro-photographs, 701.
 Microscope, 119, 321, 702.
 slide for, 376.
 lamps, 636.
 field stage for, 118.
 Microscopic eyes, 444.
 objects, 443.
 Micro-spectroscope, 379.
 Migration of animals, 693.
 birds, 389.
 Mimicry in snakes, 737.
 Minus polyglottus, 198.
 Mineral localities, 635.
 Miocene, man in, 315.
 Missouri, entomology of, 471.
 skylark, 697, 735.
 Mocking bird, 198.
 Mollusks, preparing palates of, 120.
 Monachus, 87.
 Monkey, fossil, 51.
 Monks-hood, 8.
 Monograph of spheniscidae, 38.
 Monohammus dentator, 498.
 Monotremes, 22.
 Monsters, 435, 740.
 Monstrosities of animals, 336.
 flowers, 335.
 pigs, 397.
 Montana, geology of, 352.
 keysers of, 279.
 Moths, 108.
 agency of, in distribution of
 plants, 269.
 American, 227.
 Californian, distribution of, 453.
 Mould on bread, 444.
 Mound-builders, pottery of, 94.
 Mount Monadnock, strata on, 466.
 Myiarchus, 36.
 Myiodioctes pusillus, 608.
 Mysticete, 20, 27.
 Mystilaspis pinifoliae, 473.
 pomicorticis, 473.

 Narcotic poisons, 12.
 Nardosmia palmata, 480.
 Naucleus forficatus, 201.
 Nautilus, 104.
 Nerve current, 184.
 Nesaea verticillata, 729.
 Netsinkers, 139.
 New England, birds of, 692.
 New Jersey, Indian implements of, 204.
 skin scrapers from, 500.
 Nightshade, 10, 11.
 Nobert's lines, 246.
 North America, tineaids of, 478.
 goatsuckers of, 669.
 hymenoptera, 500.
 Nuttall's whippoorwill, 325.

 Oaks, 154.
 Object carrier, 245.
 Objectives, 53, 118, 246, 380, 747.
 apertures of, 440, 556.
 improvements in, 504.
 new, 638.
 Ocelli in butterflies, 490.

- Octopus Bairdii*, 355.
Odontites rubra, 366.
Odontornithes, 115.
Oedoma cephalotes, 370.
Enothera multijuga, 300.
Estrus hominis, 16, 437.
Ommatostrephes, 87.
Onion thrips, 241.
Onychoteuthis, 88.
Oregon snowbird, 15.
Oreodonts, 22.
Oriole, 198.
Ornithology, 308, 361.
 African, 226.
 New England, 42.
Orthoceras, 104.
Ortyx Virginianus, 196.
Otiorhynchus picipes, 242.
Otter sheep, 732.
Oviposition of the Yucca moth, 619.
Owl, white-fronted in Canada, 427.
Oxybaphus glaber, 302.

Pacific shells, 114, 126.
Painted bunting, 500.
 flycatcher, 325.
Palaeotheriids, 22.
Paludina, 35.
Papilio Asterias, 129.
Parsley, 9.
Passerculus savanna, 200.
Peat, 563.
Pedicellariae, 398.
Pediculus cervicalis, 16.
 humanus, 16.
 pubis, 16.
Pelican, 170.
Penguin, 40.
Pennatula, 313.
Petalonyx nitidus, 300.
Petalostemon flavescens, 299.
Peteria Thompsonae, 300.
Petroleum, 50.
Peucea aestivalis, 616.
 carpalis, 322.
Peucedanum Newberryi, 301.
Phacocherids, 24.
Phaenogamous plants, U. S., 560.
Phoca fasciata, 178.
Phosphorescence, 313.
Phyllotaxis of cones, 449.
Phylloxera, 472.
Physalis, 11.
Physeteridae, 27.
Pieris rapae, 242.
Pigeon hawk, 340.
Pigott's searcher, 118.
Pigs, monstrosity of, 367.
Pimpla annulipes, 472.
Pine bark louse, 473.
 pollen, 123.
Pines, second growth in, 111.
Pinus, 111.
Pipes, 100.
Pipilo Aberti, 324.
 arcticus, 41.
 erythrophthalmus, 100.
 fuscus, 324.
Plants, arrangements of leaves in, 481.
 distribution of, 268.
 effects of coal-gas on, 366.
 fossil, 358.
 influence of colored light on, 365.
 poisonous, 4.
Platanistids, 26, 27.
Plover, 306.
Podiceps auritus, 735.
Poison ivy, 4, 5, 6.

Poisonous plants, 4.
Poisons, action of, on the blood corpuscles, 706.
 narcotic, 12.
Polaris, results of voyage of, 509.
Pollen, 236.
Polygala subspinoso, 299.
Polygonum, section Avicularia of the genus, 602.
Pontoporiinae, 27.
Poncetes gramineus, 201.
Poospiza bilineata, 323.
Portulaca, sensitive stamens in, 464.
Potato beetle of Colorado, 430.
Pothocites, 44.
Pottery, 94.
Poutialesia Jeffreysii, 413.
Prairie birds, 197.
 wolf, 385.
Prehistoric races of the United States, 623.
Preservation of the lower animals, 630.
Proboscians, 49.
Prosimians, 22.
Protocetacean, 25.
Pteromalus puparum, 242.
 volucella, 132.
Puff-balls, 729.
Pulex irritans, 16.
 penetrans, 16.
Purple finches, 15.
Purring of the cat, 487.
Pygoelids, 39, 40.
Pyranga aetiva, 190.
Pyrocephalus rubineus, 170, 325.
Pyrthula, 239.

Quail, 190.
Quercus, 154.
 undulata, 302.

Raccoon fox, 115.
Radi-h weevil, 242.
Ranunculus acris, 8.
Raphides, 445.
Raspberry sawfly, 243.
Rattlesnake, 85, 433.
Raven, 733.
Red spider, 17.
 shafted flicker, 15.
 vented thrush, 328.
Rhexia Virginia, 692.
Rhizocarpus Loffotensis, 411.
Rhus radicans, 4.
 toxicodendron, 4, 5, 6, 12.
 venenata, 4, 5, 8, 12.
Rhytidids, 24.
Ribbon seal of Alaska, 178.
Robin, 13.
Rock wren, 566.
Rocky Mts., geology of, 726.
Rose-breasted grosbeak, 493.
Rubus Idaeus, 421.
Rufous-winged sparrow, 322.
Ruminants, 22, 24.

Sage, 334.
Salix Nevadaensis, 302.
Salmon, 381.
 composition of, 370.
Salt Lake Valley, 729.
Salvia, 334.
Sandwich Islands, Helicidae of, 171.
Sarcophaga carnaria, 194.
Sauba ants, 370.
Scolytes caryae, 474.
Scrophulariaceae, 12.
Sea, depths of, 405.
Sea bottom, geology of, 160.

- Seedticks, 19.
 Selachians, 59, 60.
 Sensitive stamens in portulaca, 464.
 Sepulchral urns, 101.
 Setophaga picta, 325.
 Seventeen-year cicada, 540.
 Sex, origin of, 175.
 in butterflies, 513.
 Sheep, Ancon, 732.
 Shells of the Pacific, 114, 126.
 Sialia arctica, 15.
 Mexicana, 16.
 Silurian Age, 558.
 Skeleton, paleolithic, in Italy, 439.
 Skin scrapers from New Jersey, 500.
 Skulls, change of form in, 117.
 Skunk cabbage, 11.
 Slide from the microscope, 376.
 Smerinthus germinatus, 109.
 Snake hawk, 202.
 Snakes, mimicry in, 737.
 Snow bird, 735.
 Solanum dulcamara, 11.
 melongena, 11.
 nigrum, 11.
 Song sparrow, 15.
 Sorex, 483.
 Southern Indians, antiquities of, 555.
 Sparrow, 13, 15, 236.
 Species, origin of, 231.
 Specific characters, 566.
 Spheniscus, 39, 40.
 Sphinx, 109.
 Spike-horned muledeer, 169.
 Spizella pusilla, 199.
 Sponges, 485.
 Springs, hot, 352.
 Spruce, 10.
 Squid, 2, 91.
 Starfishes, spontaneous division in, 481.
 Staurolite, 658.
 St. Lucas thrush, 327, 330.
 Stone Age, 270.
 Strawberry, 336.
 tomato, 11.
 Sturnella, 175.
 magna, 200.
 Stygobromus, 244.
 Sumac, 4.
 Sundew, 705.
 Swallow chimney, 741.
 Sweet flag, 12.
 Swiss Lake relics, 182.
 Symplocarpus foetidus, 12.
 Syrphus, 238.
 Tachina, 242.
 Taconic Mountains, 708.
 Tadpoles, 497.
 Tanagers, 199.
 Tardigrade, 730.
 Telmatodytes palustris, 200.
 Terns, 200.
 Terraces, 735.
 Tertiary flora, 358.
 Thick-billed guillemot, 210.
 Thorn-apple, 11.
 Thrasher, 199.
 Thyreus Abbotii, 109.
 Tick trefoil leaf-miner, 543.
 Tineids, 478.
 Tinoceras, 147, 217, 292, 307.
 and its allies, 217.
 Tissues, staining of, 119.
 Titanotherium, 147.
 Titmouse, 200.
 Toothed whales, 20.
 Towns-end's flycatcher, 15.
 Trees, 111.
 winter killed, 231.
 Trilobites, legs of, 731.
 Tringa Bairdi, 226.
 Trombidium, 17.
 Tumors, malignant, 445.
 Turkey buzzard, 16.
 wild, 431.
 Turrillites, 106.
 Twisting stones, 180.
 Tyrannula, 37.
 Tyrant flycatchers, 35.
 Uintamastix, 147.
 Uintatherium, 147, 159.
 Ucinula, 58.
 Uria arctica, 240.
 Urticaceae, 12.
 Uvularia, 629.
 Vanessa antiopa, 131.
 Vegetable tissues, 360.
 staining of, 59.
 Vegetation, colors of, 65.
 Veratrum viride, 11.
 Vermilion flycatcher, 170, 325.
 Vigiera reticulata, 301.
 Viola striata, 563.
 Vireo Belli, 199.
 Vireosylva, 198.
 Virginia, birds of, 362.
 Virginian creeper, 4, 7.
 Vital force, 332.
 Vitality from germs, 445.
 Viviparous fly, 193.
 Voluta Stearnsii, 125.
 Wabash Valley, vegetation of, 154.
 Wadus, 24.
 Warbler, 199.
 Wasp's Nest, remarkable, in Maryland, 678.
 Water, forms of, 228.
 Water-jugs, 95.
 Western bluebird, 16.
 Whale, 1.
 fishery, 4.
 Whalebone whales, 20.
 Wheat, 188.
 Whipplea Uthensis, 300.
 White-crowned sparrow, 13.
 fronted owl in Canada, 427.
 necked crow, 16.
 rumped shrike, 497.
 Willow wands from Burrard's Inlet, 488, 633.
 Winged ants, swarming of, 369.
 Woodhouse's jay, 14.
 Woodpecker, golden-winged, 498.
 Woodpeckers, 200.
 tapping sugar trees, 496.
 World, geological map of, 345.
 Wrens, 200.
 Wyoming, fossil quadrumana in, 179.
 Xanthocephalus icterocephalus, 200.
 Yellowstone river, 729, 748.
 Yew, 628.
 Yucca moth, 477, 619.
 Zeuglodon, 19, 20, 21, 27.
 Ziphids, 26, 27.

